| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 07917-180001 | Application No. 10/686,491 |
|---|---|---|---|
| **Information Disclosure Statement by Applicant** (Use several sheets if necessary) (37 CFR §1.98(b)) | | Applicant Tupler et al. | |
| | | Filing Date October 14, 2003 | Group Art Unit |

## U.S. Patent Documents

| Examiner Initial | Desig. ID | Document Number | Publication Date | Patentee | Class | Subclass | Filing Date If Appropriate |
|---|---|---|---|---|---|---|---|
| | A1 | | | | | | |

## Foreign Patent Documents or Published Foreign Patent Applications

| Examiner Initial | Desig. ID | Document Number | Publication Date | Country or Patent Office | Class | Subclass | Translation Yes | Translation No |
|---|---|---|---|---|---|---|---|---|
| | B1 | | | | | | | |

## Other Documents (include Author, Title, Date, and Place of Publication)

| Examiner Initial | Desig. ID | Document |
|---|---|---|
| SS | C1 | Bauer et al., "Adenine nucleotide translocase-1, a component of the permeability transition pore, can dominantly induce apoptosis," J. Cell Biol. 27:1493–502 (1999) |
| SS | C2 | Bennett et al., "Susceptibility to human type 1 diabetes at *IDDM2* is determined by tandem repeat variation at the insulin gene minisatellite locus," Nat. Genet. 9:284–92 (1995) |
| SS | C3 | Blair et al., "A transcript map encompassing a susceptibility locus for bipolar affective disorder on chromosome 4q35," Mol. Psychiatry, 7:867-73(2002) |
| SS | C4 | Chung et al., "Characterization of the chicken β-globin insulator," Proc. Natl. Acad. Sci. USA 94:575–80 (2002) |
| SS | C5 | Clark et al., "Analysis of the organisation and localisation of the FSHD-associated tandem array in primates: implications for the origin and evolution of the 3.3 kb repeat family," Chromosoma 105:180–89 (1996) |
| SS | C6 | Dorner and Schultheiss, "The myocardial expression of the adenine nucleotide translocator isoforms is specifically altered in dilated cardiomyopathy," Herz 25:176–80 (2000) |
| SS | C7 | Dunger et al., "Association of the INS VNTR with size at birth. ALSPAC study team. Avon longitudinal study of pregnancy and childhood," Nat. Genet. 19:98–100 (1998) |
| SS | C8 | Gabriels et al., "Nucleotide sequence of the partially deleted D4Z4 locus in a patient with FSHD identifies a putative gene within each 3.3 kb element," Gene 236:25–32 (1999) |
| SS | C9 | Hanakahi et al., "Nucleolin is one component of the B cell-specific transcription factor and switch region binding protein, LR1," Proc. Natl. Acad. Sci. USA 94:3605–10 (1999) |
| SS | C10 | Hewitt et al., "Analysis of the tandem repeat locus D4Z4 associated with facioscapulohumeral muscular dystrophy," Hum. Mol. Genet. 3(8):1287-95 (1994) |
| SS | C11 | Hsu et al., "Application of chromosome 4q35- qter marker (pFR-1) for DNA rearrangement of facioscapulohumeral muscular dystrophy patients in Taiwan," J. Neurol. Sci. 149:73–79 (1997) |
| SS | C12 | Kaukonen et al., "Role of adenine nucleotide translocator 1 in mtDNA maintenance," Science 289:782–85 (2000) |
| SS | C13 | Kennedy et al., "The minisatellite in the diabetes susceptibility locus IDDM2 regulates insulin transcription," Nat. Genet. 9:293–98 (1995) |
| SS | C14 | Krontiris et al., "An association between the risk of cancer and mutations in the HRAS1 minisatellite locus," N. Engl. J. Med. 329:517–23 (1993) |
| SS | C15 | Lehming et al., "Chromatin components as part of a putative transcriptional repressing complex," Proc. Natl. Acad. Sci. USA 95:7322–26 (1998) |

| Examiner Signature | Date Considered |
|---|---|
| /Steven Standley/ | 1/28/06 |

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| Substitute Form PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 07917-180001 | Application No. 10/686,491 |
|---|---|---|
| **Information Disclosure Statement by Applicant** (Use several sheets if necessary) (37 CFR §1.98(b)) | Applicant Tupler et al. | |
| | Filing Date October 14, 2003 | Group Art Unit |

| Other Documents (include Author, Title, Date, and Place of Publication) | | |
|---|---|---|
| Examiner Initial | Desig. ID | Document |
| SS | C16 | Lunt, "44th ENMC international workshop: facioscapulohumeral muscular dystrophy: molecular studies," Naarden, The Netherlands. Neuromuscul. Disord. 8:126–30 (1996) |
| SS | C17 | Lunt et al., "Correlation between fragment size at D4F104S1 and age at onset or at wheelchair use, with a possible generational effect, accounts for much phenotypic variation in 4q35-facioscapulohumeral muscular dystrophy (FSHD)," Hum. Mol. Genet. 4:951–58 (1995) |
| SS | C18 | Lyle et al., "The FSHD associated repeat, D4Z4, is a member of a dispersed family of homeobox-containing repeats, subsets of which are clustered on the short arms of the acrocentric chromosomes," Genomics 28:389–97 (1995) |
| SS | C19 | Morcos, "Achieving efficient delivery of morpholino oligos in cultured cells," Genesis 30:94–102 (2001) |
| SS | C20 | Napoli et al., "A novel missense adenine nucleotide translocator-1 gene mutation in a Greek adPEO family," Neurology 57:2295–2308 (2001) |
| SS | C21 | Pryde and Louis, "Limitations of silencing at native yeast telomeres," EMBO J. 18:2538–50 (1999) |
| SS | C22 | Renauld et al., "Silent domains are assembled continuously from the telomere and are defined by promoter distance and by SIR3 dosage," Genes Dev. 7:1133–1145 (1993) |
| SS | C23 | Ricci et al., "Progress in the molecular diagnosis of facioscapulohumeral muscular dystrophy and correlation between the number of KpnI repeats at the 4q35 locus and clinical phenotype." Ann. Neurol. 1999 Jun;45(6):751-7. |
| SS | C24 | Sandri et al., "Caspase 3 expression correlates with skeletal muscle apoptosis in Duchenne and facioscapulo human muscular dystrophy. A potential target for pharmacological treatment?" J. Neuropathol. Exp. Neurol. 60:302–312 (2001) |
| SS | C25 | Sarfarazi et al., "Regional mapping of facioscapulohumeral muscular dystrophy gene on 4q35: combined analysis of an international consortium," Am. J. Hum. Genet. 51(2):396-403 (1992) |
| SS | C26 | Schulz et al., "Identification of nucleolin as a glucocorticoid receptor interacting protein," Biochem. Biophys. Res. Commun. 280:476–80 (2001) |
| SS | C27 | Tawil et al., "Evidence for anticipation and association of deletion size with severity in facioscapulohumeral muscular dystrophy," The FSH-DY Group. Ann. Neurol. 39:744–748 (1996) |
| SS | C28 | Tews and Goebel, "DNA-fragmentation and expression of apoptosis-related proteins in muscular dystrophies," Neuropathol. Appl. Neurobiol. 23:331–338 (1997) |
| SS | C29 | Thomas and Travers, "HMG1 and 2, and related 'architectural' DNA-binding proteins," Trends Biochem. Sci. 3:167–174 (2001) |
| SS | C30 | Thomas and Seto, "Unlocking the mechanisms of transcription factor YY1: are chromatin modifying enzymes the key?" Gene 236:197–208 (1999) |
| SS | C31 | Tupler et al., "Monosomy of distal 4q does not cause facioscapulohumeral muscular dystrophy," J. Med. Genet. 33:366–70 (1993) |
| SS | C32 | Tupler et al., "Profound misregulation of muscle-specific gene expression in facioscapulohumeral muscular dystrophy," Proc: Natl. Acad. Sci. USA 96:12650–54 (1999) |
| SS | C33 | van Deutekom et al., "Identification of the first gene (FRG1) from the FSHD region on human chromosome 4q35," Hum. Mol. Genet. 5:581–90 (1996) |
| SS | C34 | van Geel et al., "The FSHD region on human chromosome 4q35 contains potential coding regions among pseudogenes and a high density of repeat elements," Genomics 61:55–65 (1999) |
| SS | C35 | van Geel et al., "Identification of a novel beta-tubulin subfamily with one member (TUBB4Q) located near the telomere of chromosome region 4q35," Cytogenet. Cell Genet. 88:316–21 (2000) |

| Examiner Signature /Steven Standley/ | Date Considered 1/28/06 |
|---|---|

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 07917-180001 | Application No. 10/686,491 |
|---|---|---|---|
| **Information Disclosure Statement by Applicant** (Use several sheets if necessary) (37 CFR §1.98(b)) | | Applicant Tupler et al. | |
| | | Filing Date October 14, 2003 | Group Art Unit |

| Other Documents (include Author, Title, Date, and Place of Publication) | | |
|---|---|---|
| Examiner Initial | Desig. ID | Document |
| SS | C36 | Wijmenga et al., "Chromosome 4q DNA rearrangements associated with facioscapulohumeral muscular dystrophy," Nat. Genet. 2(1):26-30 (1992) |
| SS | C37 | Winokur et al., "The DNA rearrangement associated with facioscapulohumeral muscular dystrophy involves a hetero-chromatin-associated repetitive element: implications for a role of chromatin structure in the pathogenesis of the disease," Chromosome Res. 2:225–34 (1994) |
| SS | C38 | Xie et al., "Human hematopoietic cell specific nuclear protein MNDA interacts with the multifunctional transcription factor YY1 and stimulates YY1 DNA binding," J. Cell. Biochem. 70:489–506 (1998) |
| SS | C39 | Yant et al., "High affinity YY1 binding motifs: identification of two core types (ACAT and CCAT) and distribution of potential binding sites within the human beta globin cluster," Nucleic Acids Res. 23(21):4353-62 (1995) |
| SS | C40 | Ying et al., "Nucleolin, a novel partner for the Myb transcription factor family that regulates their activity," J. Biol. Chem. 275:4152–58 (2000) |
| SS | C41 | Zatz et al., "High proportion of new mutations and possible anticipation in Brazilian facioscapulohumeral muscular dystrophy families," Am. J. Hum. Genet. 56:99–105 (1995) |

| Examiner Signature | Date Considered |
|---|---|
| /Steven Standley/ | 4/28/06 |

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 07917-180001 | Application No. 10/686,491 |
|---|---|---|---|
| **Information Disclosure Statement by Applicant** (Use several sheets if necessary) (37 CFR §1.98(b)) | | Applicant Tupler et al. | |
| | | Filing Date October 14, 2003 | Group Art Unit 1646 |



**U.S. Patent Documents**

| Examiner Initial | Desig. ID | Document Number | Publication Date | Patentee | Class | Subclass | Filing Date If Appropriate |
|---|---|---|---|---|---|---|---|
| | AA | | | | | | |

**Foreign Patent Documents or Published Foreign Patent Applications**

| Examiner Initial | Desig. ID | Document Number | Publication Date | Country or Patent Office | Class | Subclass | Translation Yes | Translation No |
|---|---|---|---|---|---|---|---|---|
| | AB | | | | | | | |

**Other Documents (include Author, Title, Date, and Place of Publication)**

| Examiner Initial | Desig. ID | Document |
|---|---|---|
| SS | AC | Padberg, "Facioscapulohumeral disease," M.D. Thesis, Leiden University, Leiden, The Netherlands (1982) |

| Examiner Signature /Steven Standley/ | Date Considered 1/28/06 |
|---|---|

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.